

International Science Index

Commenced in January 1999

Frequency: Monthly

Edition: International

Abstract Count: 27830

author, title, abstract, keywords, journal title

Search

A Soft Computing Approach Monitoring of Heavy Metals in Soil and Vegetables in the Republic of 1 Macedonia

Authors:

Vesna Karapetkovska Hristova, M. Ayaz Ahmad, Julijana Tomovska, Biljana Bogdanova Popov, Blagojce Najdovski

The average total concentrations of heavy metals; (cadmium [Cd], copper [Cu], nickel [Ni], lead [Pb], and zinc [Zn]) were analyzed in soil and vegetables samples collected from the different region of Macedonia during the years 2010-2012. Basic soil properties such as pH, organic matter and clay content were also included in the study. The average concentrations of Cd, Cu, Ni, Pb, Zn in the A horizon (0-30 cm) of agricultural soils were as follows, respectively: 0.25, 5.3, 6.9, 15.2, 26.3 mg kg-1 of soil. We have found that neural networking model can be considered as a tool for prediction and spatial analysis of the processes controlling the metal transfer within the soil-and vegetables. The predictive ability of such models is well over 80% as compared to 20% for typical regression models. A radial basic function network reflects good predicting accuracy and correlation coefficients between soil properties and metal content in vegetables much better than the back-propagation method. Neural Networking / soft computing can support the decision-making processes at different levels, including agro ecology, to improve crop management based on monitoring data and risk assessment of metal transfer from soils to vegetables.

Keywords: soft computing approach, total concentrations, heavy metals, agricultural soils

Procedia APA BibTeX Chicago EndNote Harvard JSON MLA RIS XML WASET PDF

38 downbade

Biotechnological Engineering

International Journal of Chemical, Molecular, Nuclear, Materials and

Metallurgical Engineering International Journal of Civil, Environmental, Structural, Construction and

Architectural Engineering International Journal of Computer, Electrical, Automation, Control and

Information Engineering

International Journal of Electrical. Computer, Energetic, Electronic and Communication Engineering

© 2016 World Academy of Science, Engineering and Technology

International Journal of Biological, Biomolecular, Agricultural, Food and International Journal of Environmental, Chemical, Ecological, Geological and Geophysical Engineering

International Journal of Mathematical, Computational, Physical,

Electrical and Computer Engineering

International Journal of Mechanical, Aerospace, Industrial, Mechatronic and Manufacturing Engineering

International Journal of Medical, Health, Biomedical, Bioengineering and Pharmaceutical Engineering

International Journal of Social, Behavioral, Educational, Economic,

Business and Industrial Engineering

International Science Index

Commenced in January 1999

Frequency: Monthly

Edition: International

Abstract Count: 27830

author, title, abstract, keywords, journal title

Search

A Soft Computing Approach Monitoring of Heavy Metals in Soil and Vegetables in the Republic of 1 Macedonia

Authors:

Vesna Karapetkovska Hristova, M. Ayaz Ahmad, Julijana Tomovska, Biljana Bogdanova Popov, Blagojce Najdovski

The average total concentrations of heavy metals; (cadmium [Cd], copper [Cu], nickel [Ni], lead [Pb], and zinc [Zn]) were analyzed in soil and vegetables samples collected from the different region of Macedonia during the years 2010-2012. Basic soil properties such as pH, organic matter and clay content were also included in the study. The average concentrations of Cd, Cu, Ni, Pb, Zn in the A horizon (0-30 cm) of agricultural soils were as follows, respectively: 0.25, 5.3, 6.9, 15.2, 26.3 mg kg-1 of soil. We have found that neural networking model can be considered as a tool for prediction and spatial analysis of the processes controlling the metal transfer within the soil-and vegetables. The predictive ability of such models is well over 80% as compared to 20% for typical regression models. A radial basic function network reflects good predicting accuracy and correlation coefficients between soil properties and metal content in vegetables much better than the back-propagation method. Neural Networking / soft computing can support the decision-making processes at different levels, including agro ecology, to improve crop management based on monitoring data and risk assessment of metal transfer from soils to vegetables.

Keywords: soft computing approach, total concentrations, heavy metals, agricultural soils

Procedia APA BibTeX Chicago EndNote Harvard JSON MLA RIS XML WASET PDF

38 downbade

Biotechnological Engineering

International Journal of Chemical, Molecular, Nuclear, Materials and Metallurgical Engineering

International Journal of Civil, Environmental, Structural, Construction and

Architectural Engineering International Journal of Computer, Electrical, Automation, Control and Information Engineering

International Journal of Electrical. Computer, Energetic, Electronic and Communication Engineering

© 2016 World Academy of Science, Engineering and Technology

International Journal of Biological, Biomolecular, Agricultural, Food and International Journal of Environmental, Chemical, Ecological, Geological and Geophysical Engineering

International Journal of Mathematical, Computational, Physical,

Electrical and Computer Engineering

International Journal of Mechanical, Aerospace, Industrial, Mechatronic and Manufacturing Engineering

International Journal of Medical, Health, Biomedical, Bioengineering and Pharmaceutical Engineering

International Journal of Social, Behavioral, Educational, Economic,

Business and Industrial Engineering

A Soft Computing Approach Monitoring of Heavy Metals in Soil and Vegetables in the Republic of Macedonia

Authors: Vesna Karapetkovska Hristova, M. Ayaz Ahmad, Julijana Tomovska, Biljana Bogdanova Popov, Blagojce Najdovski Abstract: The average total concentrations of heavy metals; (cadmium [Cd], copper [Cu], nickel [Ni], lead [Pb], and zinc [Zn]) were analyzed in soil and vegetables samples collected from the different region of Macedonia during the years 2010-2012. Basic soil properties such as pH, organic matter and clay content were also included in the study. The average concentrations of Cd, Cu, Ni, Pb, Zn in the A horizon (0-30 cm) of agricultural soils were as follows, respectively: 0.25, 5.3, 6.9, 15.2, 26.3 mg kg-1 of soil. We have found that neural networking model can be considered as a tool for prediction and spatial analysis of the processes controlling the metal transfer within the soil-and vegetables. The predictive ability of such models is well over 80% as compared to 20% for typical regression models. A radial basic function network reflects good predicting accuracy and correlation coefficients between soil properties and metal content in vegetables much better than the back-propagation method. Neural Networking / soft computing can support the decision-making processes at different levels, including agroecology, to improve crop management based on monitoring data and risk assessment of metal transfer from soils to vegetables. Keywords: soft computing approach, total concentrations, heavy metals, agricultural soils